

3M™ Scotch® Custom Printed Pouch Tape 828CP

Product Description

A pressure sensitive pouch tape printed with your company logo or design in a variety of colors. This tape features a clear, non-tacky window for displaying documents and it offers a strong Scotchpro™ film backing which is coated with an aggressive adhesive to provide excellent adhesion to a wide range of boxes and container surfaces.



Product Features

Product Features

- * Custom Pouch
- * Scotchpro™ Film
- * Synthetic Rubber Adhesive

Product Advantages

- * Selection of Bright Colors
- * Custom Printing
- * Multiple Selection of Sizes
- * Good Roll Formation
- * Weather Resistant
- * Good Clarity
- * Dispenses Cleanly
- * Immediate Adhesion
- * Aggressive Adhesion
- * Consistency of Sizes and Printing

Product Benefits

- * High Visibility
- * Brand and Company Identification
- * Efficient Match of Tape to Application
- * Longer Shelf Life
- * Protects Documents Against Weather Damage
- * High Visibility of Documents
- * No Adhesive Build-Up on Blades
- * Fast Application, Saves Time
- * Keeps Document on the Package for Safe Delivery
- * Clear Film Allows Protected Bar Code Read

State of the art processes for film making, adhesive coating and pressure sensitive tape converting lead to a good product for today's market.

3M™ Scotch® Custom Printed Pouch Tape 828CP

Technical Information Note

The following technical information and data should be considered representative or typical only and should not be used for specification purposes.

Typical Physical Properties

Property	Values		Method
Color	Transparent Film with a Selection of Six Bright Colors (Red, Blue, Green, Yellow, Orange, and Black)		
Total Tape Thickness	0.066 mm	2.5 mil	ASTM D3652
Backing	Scotchpro™ Film		
Adhesive	Pressure Sensitive Rubber Resin		
Holding Power to Fiberboard	2000+ min		ASTM D3654

Typical Performance Characteristics

Property	Values		Method	Substrate
Peel Adhesion	5.5 N/cm	50 oz/in	ASTM D3330	Stainless Steel
Longitudinal Tensile Strength	52.5 N/cm	30 lb/in	ASTM D3759	
Transverse Tensile Strength	105 N/cm	60 lb/in	ASTM D3759	
Elongation at Break	160 %		ASTM D3759	

3M™ Scotch® Custom Printed Pouch Tape 828CP

Available Sizes

Property	Values	
Standard Roll Length	101 (bulk only) m	111 (bulk only) yd
Core Size (ID)	76.2 mm	3 in

Standard Size

4"x6" 4"x8" 4"x10" 4"x12"
5"x6" 5"x8" 5"x10" 5"x12"
6"x6" 6"x8" 6"x10" 6"x12"

Handling/Application Information

Application Techniques

M-797 dispenser is recommended for manual dispensing of #828 tapes. If special dispensing needs require modified or custom equipment, please contact your local 3M Packaging Systems Sales Representative.

Storage and Shelf Life

It is recommended that #828 tapes be stored at 70°F (21°C) and 40-50% relative humidity prior to use. To obtain best performance, use this product within 18 months from date of manufacture.

References

Property	Values
3m.com Product Page	https://www.3m.com/3M/en_US/company-us/all-3m-products/~-/Scotch-Custom-Printed-Pouch-Tape-828CP?N=5002385+3293242179&rt=rud
Safety Data Sheet (SDS)	https://www.3m.com/3M/en_US/company-us/SDS-search/results/?gsaAction=msdsSRA&msdsLocale=en_US&co=ptn&q=828CP

3M™ Scotch® Custom Printed Pouch Tape 828CP

Information

Technical Information: The technical information, guidance, and other statements contained in this document or otherwise provided by 3M are based upon records, tests, or experience that 3M believes to be reliable, but the accuracy, completeness, and representative nature of such information is not guaranteed. Such information is intended for people with knowledge and technical skills sufficient to assess and apply their own informed judgment to the information. No license under any 3M or third party intellectual property rights is granted or implied with this information.

Product Selection and Use: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. As a result, customer is solely responsible for evaluating the product and determining whether it is appropriate and suitable for customer's application, including conducting a workplace hazard assessment and reviewing all applicable regulations and standards (e.g., OSHA, ANSI, etc.). Failure to properly evaluate, select, and use a 3M product and appropriate safety products, or to meet all applicable safety regulations, may result in injury, sickness, death, and/or harm to property.

Warranty, Limited Remedy, and Disclaimer: Unless a different warranty is specifically stated on the applicable 3M product packaging or product literature (in which case such warranty governs), 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ARISING OUT OF A COURSE OF DEALING, CUSTOM, OR USAGE OF TRADE. If a 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price.

Limitation of Liability: Except for the limited remedy stated above, and except to the extent prohibited by law, 3M will not be liable for any loss or damage arising from or related to the 3M product, whether direct, indirect, special, incidental, or consequential (including, but not limited to, lost profits or business opportunity), regardless of the legal or equitable theory asserted, including, but not limited to, warranty, contract, negligence, or strict liability.

3M™ Scotch® Custom Printed Pouch Tape 828CP



3M United States
3M Center
St. Paul, MN 55144-1000
800-362-3550
www.3M.com

Please recycle.
© 3M 2020. All Rights Reserved.

The brands listed above are trademarks of 3M